2009 ADR regulated goods

The practical guide





Contents

I – Introduction to Eurotunnel's Policy for ADR regulated goods

II - Definition of terms used

III - List of ADR regulated goods accepted

Class 1: Explosive substances and articles Class 2: Gases: compressed, liquefied or dissolved under pressure Flammable liquids Class 3: Class 4.1: Flammable solids Class 4.2: Substances liable to spontaneous combustion Class 4.3: Class 5.1: Class 5.2: Class 6.1: Class 6.2: Substances which in contact with water emit flammable gases Oxidizing substances Organic peroxides Toxic substances Infectious substances Class 7: Radioactive materials Class 8: Corrosive substances Class 9: Miscellaneous dangerous substances and articles

IV - What to do on arrival at the Freight Terminal

V - Eurotunnel contact details

COMM/0059/2 2/54

I – Introduction to Eurotunnel's policy for ADR regulated goods

The Channel Tunnel has been designed to be one of the safest transport systems known to date.

Eurotunnel's policy on the carriage of ADR regulated goods is therefore designed to ensure the safety of its customers and staff, and the integrity of the Tunnel. This policy has been produced in close collaboration with industry and with relevant trade and professional bodies.

The carriage of goods classified as hazardous through the Channel Tunnel must comply with ADR (European Agreement concerning the International Carriage of Dangerous Goods by Road). ADR regulated goods definitions are subject to the 2009 revision of the ADR regulations. Declarations have to be made using the 2009 ADR revisions from 1st July 2009.

Eurotunnel Freight will accept, restrict or refuse goods on the basis of ADR definitions. This ADR regulated goods policy has been decreed by a By-Law in the UK and an Arrêté Ministériel in France and forms an integral part of Eurotunnel's Conditions of Carriage.

The carriage of Dangerous Goods must also comply with Eurotunnel's own regulations as described in this document, which are more stringent than those in ADR, to reflect the specific safety characteristics of the Channel Tunnel infrastructure.

The carrier is responsible for ensuring that the goods he is carrying comply with these regulations. Furthermore it is also the carrier's responsibility to provide the compulsory documentation, including for vehicles travelling under the provisions of ADR chapter 1.1.3.6. Goods, which are transported under the conditions (packaging, weight, etc.) laid down in the respective Chapter (e.g. 3.4 – Limited Quantities and 3.5 – Excepted Quantities) of ADR are authorised for transit via the Eurotunnel Freight service, under the terms of ADR.

Eurotunnel Freight reserves the right to authorise or refuse carriage of ADR regulated goods via Eurotunnel Freight, irrespective of their type, origin and / or destination.

COMM/0059/2 3/54

II - Definition of terms used

Some of the specific terminology and expressions used in the Eurotunnel Freight policy for ADR regulated goods are defined below.

Transport unit:

A transport unit is:

- a lorry or a trailer;
- a container or swap body;

A lorry with a coupled trailer represents two units of transport.

In the case of a lorry with trailer, carrying two containers, then each container represents a separate transport unit.

Wherever the term "transport unit" is used in this document, it shall be construed as a "transport unit" as defined above.

Unit package:

The maximum volume of a particular product carried in one and the same receptacle for transit through the Channel Tunnel.

Quantities:

The quantities of goods are divided into three categories:

- * Carried with no restriction on quantity
- * Carried subject to restriction on quantity:
 - Product may be carried in unit packages of 250 litres or 400 kilograms:
 No restriction on the quantity carried per unit of transport but must be in unit packages of 250l or 400kg maximum.
 - Maximum quantity per transport unit:

Carriage is only permitted on the premise that the maximum quantity per transport unit is not exceeded. The number of packages and their volume is unrestricted provided that their overall volume or weight does not exceed the limit of the relevant class for each transport unit, as shown in the list of ADR regulated goods accepted.

If several products of the same class in any one transport unit fall into the same category, the sum of all their quantities must not exceed the limit of the relevant class for each transport unit.

- Other maximum quantities allowed:

The authorised limit in is net kilograms per transport unit unless otherwise indicated.

* Not permitted

It should be noted that this document only describes those substances accepted for carriage, with or without restrictions (see section III of this guide). Other goods, classified as hazardous under ADR are not accepted for transit via Eurotunnel Freight.

Empty Containers:

Eurotunnel Freight will accept, without restriction, the carriage of empty containers, which would have been accepted when full. Containers, which would not have been accepted for carriage when full, must be cleaned and an "ad-hoc" certificate to this effect submitted before carriage can be authorised.

COMM/0059/2 4/54

III - List of ADR regulated goods accepted

The following list details those ADR regulated goods authorised for transit via Eurotunnel Freight by their ADR Class, UN Number and packing group. Restrictions are stated where applicable.

Please note that ADR regulated goods that do not appear in this list are not authorised for transit via Eurotunnel Freight.

ADR regulated goods that are required to carry two or more danger labels (labels 1 to 9) are not authorised for transit via Eurotunnel Freight, regardless of their quantity. However exceptions have been made so that goods of Class 2, as specifically mentioned in the list of ADR regulated goods accepted, can be transported. Also, both UN 3291 and UN 3245 when packed in refrigerated liquid nitrogen, can be accepted for transport.

COMM/0059/2 5/54

	ADR - Class 1: Explosive substances and articles			
UN	Packing	Classification	Restriction	
Number	Group	Code	Restriction	
0012				
0014				
0044				
0055				
0070				
0105				
0110				
0131				
0173				
0174				
0193				
0323				
0337				
0345			Quantity accepted for carriage restricted	
0349			to 15kg of net explosive substance	
0366			per transport unit	
0367	n/a	1.4S	·	
0368			(15kg of substance not of explosive articles)	
0373				
0376			Net = not including packaging	
0384				
0404				
0405				
0432				
0441				
0445				
0454				
0455				
0456				
0460				
0500				
0506	1			
0507				

Substances and articles of Class 1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight.

COMM/0059/2 6/54

ADR - Class 2: Gases: compressed, liquefied or dissolved under pressure			
UN Number	Packing Group	Classification Code	Restriction
1002		1A	
1006		IA	
1009			
1013			
1018			
1020		2A	
1021		2/1	No restriction
1022			
1028			
1029			
1044		6A	
1046		1A	
1056		171	
1057		6F	Quantity accepted for carriage restricted to a maximum of 1500kg gross weight per transport unit
1058		2A	<u> </u>
1065			No restriction
1066		1A	
1070		20	No. 1 of the least of
1072		10	No restriction, but in cylinders only
1078			
1080	,	2A	
1858	n/a		No restriction
1913		3A	
1950		5A	
1950		5C	
1950		5F	Quantity accepted for carriage restricted
1950		5O	to a maximum of 1500kg
1950		5T	gross weight per transport unit
1951		3A	
1952		2A	
1956		1A	
1958		2A	
1963		3A	
1968		2A	
1970		3A	
1973			No rootriction
1974		2A	No restriction
1976			
1977		3A	
1982			
1983		2.4	
1984		2A	
2036			
2037		5A	

COMM/0059/2 7/54

	ADR - Class 2: Gases: compressed, liquefied or dissolved under pressure			
UN	Packing	Classification	idei piessuie	
Number	Group	Code	Restriction	
2037	0.00.6	5F	Quantity accepted for carriage restricted	
2037		5O	to a maximum of 1500kg	
2037		5T	gross weight per transport unit	
2187		3A	gross margin par manapara anni	
2193		0/1		
2422		2A	No restriction	
2424		273		
2451		20	No restriction, but in cylinders only	
2591		3A	The restriction, but in symmetre only	
2599				
2602		2A		
2857		6A	No restriction	
3070		2A		
3136		3A		
3150		6F	Quantity accepted for carriage restricted to a maximum of 1500kg gross weight per transport unit	
3156		10	• • • • • • • • • • • • • • • • • • • •	
3157	n/a	20	No restriction, but in cylinders only	
3158		3A		
3159		2A		
3163		ZA		
3164		6A		
3167		7F		
3169		7T		
3220				
3296			No restriction	
3297				
3298				
3299		2A		
3337				
3338				
3339				
3340				
3478 3479		6F	Quantity accepted for carriage restricted to a maximum of 1500kg gross weight per transport unit	

Gases of Class 2 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight, except gases whose Classification Code is 10, 20 or 50 and in the case of UN 1950 also 5C or 5T.

COMM/0059/2 8/54

	Α	DR – Class 3:	Flammable liquids
UN Number	Packing Group	Classification Code	Restriction
1088	•		
1090	II		
1091			
1104	III		
1105	II		
1105	III		
1107	II		
1109	III		
1110	1111		
1111	II		
1112	III		
1113			
1114	II		
1120			
1120	III		
1123	II		
1123	III		
1126			
1127	II		
1128			
1129			
1130	III	-	
1133	II		
1133	III	F.4	Quantity accepted for carriage
1134		F1	restricted to a maximum of
1136	II	-	250 litres per transport unit
1136	III	-	
1139	II	-	
1139	III	-	
1145 1146	II		
1146	III	-	
1147	II II	-	
1148		-	
1149	III		
1150	II	-	
1152	III	1	
1153	II	1	
1153	III	1	
1156	II	1	
1157	III	1	
1159		1	
1161			
1164	TT		
1165	II		
1166			
1169			
1169	III		
1170	II		

COMM/0059/2 9/54

	A	DR - Class 3:	Flammable liquids
UN Number	Packing Group	Classification Code	Restriction
1170	Стоир	Oodc	
1171	III		
1172	111		
1173		_	
1175	II		
1176	11		
1177	III		
1178			
1179	II		
1180		_	
1188	III		
1189		F1	
1190	II	_	
1191		1	
1192	III		
1193			
1195	II		
1197			
1197	III	_	
1201	II	_	
1201		_	
1202	III		
1203		_	
1204	II	D	Quantity accepted for carriage
1206			restricted to a maximum of
1207	III	_	250 litres per transport unit
1208		_	' '
1210	II		
1210			
1212	III		
1213			
1216			
1219	II		
1220			
1222			
1223	III	1	
1224	II	F1	
1224		1	
1229	III		
1231	II	1	
1233	III	1	
1234		1	
1237			
1245			
1246	TT		
1247	II		
1248			
1249			
1261			

COMM/0059/2 10/54

	Α	DR – Class 3:	Flammable liquids
UN Number	Packing Group	Classification Code	Restriction
1262			
1263	II		
1263	TTT		
1264	III		
1265	TT		
1266	II		
1266	III		
1267	II		
1267	III		
1268	II		
1268			
1272	III		
1274	II		
1274	III		
1275			
1276			
1278			
1279	II		
1281			
1282			
1286			
1286	III		
1287	II		
1287	III		Quantity accepted for carriage
1288	II	- F1	restricted to a maximum of
1288			250 litres per transport unit
1292	III		
1293	II		
1293	III		
1294	II		
1299	III		
1300	II		
1300	III		
1301			
1304	II		
1306			
1306	III		
1307	II		
1307	III		
1308	II		
1308	III		
1648			
1862	II		
1863			
1863	III		
1865			
1866	II		
1866	III		

COMM/0059/2 11/54

	A	DR - Class 3:	Flammable liquids
UN Number	Packing Group	Classification Code	Restriction
1914			
1915	III		
1917	II		
1918	III		
1919	II		
1920	III		
1987	II		
1987	III		
1989	II		
1989	III		
1993	II		
1993	III		
1999	II		
1999	III	† <u>.</u> .	
2045	II	- F1	
2046	III		
2047	II		
2047			
2048	III		
2049			
2050	II		
2052			
2053	III	Quantity accepted for carriage	
2055			Quantity accepted for carriage
2056	тт	7	restricted to a maximum of
2057	II		250 litres per transport unit
2057	III		
2058	II		
2059	11	D	
2059		U	
2219			
2222	III		
2227	111		
2234			
2238			
2241	II		
2242	**		
2243			
2244	III		
2245		F1	
2246	II	_	
2247	III		
2251			
2252	II		
2256			
2263		_	
2265	***		
2271	III		
2275			

COMM/0059/2 12/54

	Α	DR – Class 3:	Flammable liquids
UN Number	Packing Group	Classification Code	Restriction
2277			
2278	II		
2282			
2283	III		
2286			
2287	TT		
2288	II		
2293	III		
2296	II		
2297	III		
2298	II		
2301	11		
2302	III		
2303	1111		
2309	II		
2313			
2319			
2323			
2324	III		
2325	111		
2329			
2330			
2332			
2338			Quantity accepted for carriage
2339	II	F1	restricted to a maximum of
2340			250 litres per transport unit
2341	III		
2342			
2343	II		
2344			
2344	III		
2345			
2346	II		
2347		_	
2348	III	_	
2350	II		
2351		4	
2351	III	-	
2352	TT		
2358	II		
2362			
2364	III		
2366		_	
2367	<u>II</u>		
2368	III	_	
2370			
2372	II		
2373			
2374			

COMM/0059/2 13/54

	Al	DR – Class 3:	Flammable liquids
UN Number	Packing Group	Classification Code	Restriction
2375			
2376			
2377			
2380			
2381			
2384	II		
2385			
2387			
2388			
2390			
2391			
2392	III		
2393	II		
2394	III		
2397			
2398			
2400	II		
2402			
2403			
2405	III		
2406	111		
2409			
2410	II		
2412			Quantity accepted for carriage
2413	III	F1	restricted to a maximum of
2414	111		250 litres per transport unit
2416			
2436			
2457	II		
2458			
2460			
2461			
2498			
2514	1		
2520	1		
2524	III		
2527			
2528			
2536	II		
2541	III		
2554	II	-	
2560	11		
2607	III		
	- 111		
2608	II		
2612			
2614	III		
2615	II		
2616			

COMM/0059/2 14/54

	Al	DR – Class 3:	Flammable liquids
UN Number	Packing Group	Classification Code	Restriction
2616	0.045	3000	
2617	-		
2618	III		
2620	-		
2621			
2707	II		
2707			
2709	****		
2710	III		
2752	1		
2838	II		
2840			
2842			
2850			
2933	1111		
2934	III		
2935			
2943			Overetite and and for a coming of
2947		F1	Quantity accepted for carriage restricted to a maximum of
3022	II	F1	250 litres per transport unit
3054	III		250 littles per transport unit
3056	1111		
3065	II		
3065	III		
3092	1111		
3269	II		
3269	III		
3271	II		
3271	III		
3272	II		
3272	III		
3295	II		
3295	III		
3336	II		
3336	III		
3371	II		
3473	n/a		
3475	II		

Substances of Class 3 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight.

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

COMM/0059/2 15/54

	ADR - Class 4.1: Flammable solids				
UN Number	Packing Group	Classification Code	Restriction		
1309	II	- F3			
1309		F3			
1312		F1			
1313	III				
1314		F3			
1318		ΓJ			
1323	II				
1324	III				
1325	II	F1	No restriction		
1325	III				
1326	II	F3			
1328		F1			
1330	III	F3			
1331	111	F1			
1332		1 1			
1333	II	F3			
1334	III	F1			
1338	111				
1339		F3	Quantity accepted for carriage restricted		
1341	11	II	13	to a maximum of 8t per transport unit	
1343	11				
1345		F1	No restriction		
1346			NO restriction		
1350	III	F3	Quantity accepted for carriage restricted to a maximum of 8t per transport unit		
1352	II				
1353	III	F1			
1358	II	- F3			
1869		10			
1944					
1945		F1	No restriction		
2000					
2001		F3			
2213					
2254		F1			
2538	777				
2623	III				
2687		F3	Quantity accepted for carriage restricted to a maximum of 8t per transport unit		
2714					
2715					
2717		F1	No restriction		
2858		F3			
2878					
2956		SR1			
2989	II	_	Quantity accepted for carriage restricted		
2989	III	F3	to a maximum of 8t per transport unit		
3089	II		No restriction		

COMM/0059/2 16/54

	ADR - Class 4.1: Flammable solids				
UN Number	Packing Group	Classification Code	Restriction		
3089	III		No restriction		
3178	II		Quantity accepted for carriage restricted		
3178	III	F3	to a maximum of 8t per transport unit		
3181	II				
3181			No restriction		
3182	III		NO TESTRICTION		
3241					
3242	II	SR1	Quantity accepted for carriage restricted to a maximum of 400kg per transport unit		
3251	III		No restriction		
3270	II	F1	ino restriction		

Substances of Class 4.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight.

COMM/0059/2 17/54

ADR - Class 4.2: Substances liable to spontaneous combustion

No substances or articles of this Class will be accepted for carriage via Eurotunnel Freight.

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

COMM/0059/2 18/54

ADR - Class 4.3: Substances which in contact with water emit flammable gases

No substances of this Class will be accepted for carriage via Eurotunnel Freight.

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

COMM/0059/2 19/54

	ADR – Class 5.1: Oxidizing substances			
UN Number	Packing Group	Classification Code	Restriction	
1438 1444	III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of	
1450	II	-	250 litres / 400kg maximum No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1451	III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
1452	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
1454	III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
1455 1456 1457	II		No restriction on the quantity carried	
1458	TIT		but transport must be in unit packages	
1458 1459	III II	_	of 250 litres / 400kg maximum	
1459	III	O2		
1461	II	-		
1465		1	Quantity accepted for carriage restricted to	
1466	III		a maximum of 10t per transport unit and transport must be in unit packages of	
1467			250 litres / 400kg maximum	
1471			No restriction on the quantity carried	
1472 1473	II		but transport must be in unit packages of 250 litres / 400kg maximum	
1474	III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
1475		1 [No restriction on the quantity carried	
1476	II		but transport must be in unit packages of 250 litres / 400kg maximum	
1477			Quantity accepted for carriage restricted to a maximum of 10t per transport unit and	
1477	III		transport must be in unit packages of 250 litres / 400kg maximum	
1479	II	_	No restriction on the quantity carried	
1479	III	_	but transport must be in unit packages	
1481	II	-	of 250 litres / 400kg maximum	
1481	III			

COMM/0059/2 20/54

	ADR – Class 5.1: Oxidizing substances			
UN Number	Packing Group	Classification Code	Restriction	
1482	II			
1482	III		No restriction on the quantity carried	
1483	II		but transport must be in unit packages	
1483	III		of 250 litres / 400kg maximum	
1484	II		o. 200 moo, 100ng maaman	
1485		_		
1486	III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and	
1487			transport must be in unit packages of 250 litres / 400kg maximum	
1488	II		Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
1489			No restriction on the quantity carried	
1490			but transport must be in unit packages of 250 litres / 400kg maximum	
1492	III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and	
1493			transport must be in unit packages of 250 litres / 400kg maximum	
1494	II		No restriction on the quantity carried	
			but transport must be in unit packages	
1495			of 250 litres / 400kg maximum	
1498		O2	Quantity accepted for carriage restricted to	
	III		a maximum of 10t per transport unit and	
1499			transport must be in unit packages of 250 litres / 400kg maximum	
1502		-	No restriction on the quantity carried	
	II		but transport must be in unit packages	
1503			of 250 litres / 400kg maximum	
			Quantity accepted for carriage restricted to	
1505	III		a maximum of 10t per transport unit and	
	111		transport must be in unit packages of	
		-	250 litres / 400kg maximum	
1506	II		No restriction on the quantity carried	
1506	II		but transport must be in unit packages of 250 litres / 400kg maximum	
		┥	Quantity accepted for carriage restricted to	
4=0=	***		a maximum of 10t per transport unit and	
1507	III		transport must be in unit packages of	
			250 litres / 400kg maximum	
1508]	No restriction on the quantity carried	
	II		but transport must be in unit packages	
1509			of 250 litres / 400kg maximum	
1512			Quantity accepted for carriage restricted to a maximum of 6t per transport unit and	
			transport must be in unit packages of 250 litres / 400kg maximum	

COMM/0059/2 21/54

	ADF	R – Class 5.1: O	xidizing substances
UN Number	Packing Group	Classification Code	Restriction
1513	·		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1514	II	O2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1515			
1516			
1748			
1748	III		
2208	111		No restriction on the quantity carried
2427	II		but transport must be in unit packages
2427	III]	of 250 litres / 400kg maximum
2428	II	04	
2428	III	O1	
2429	II	1	
2429	III	1	
2465			Quantity accepted for carriage restricted to
2405	II		a maximum of 6t per transport unit and
2468	11		transport must be in unit packages of
2400			250 litres / 400kg maximum
			No restriction on the quantity carried
2469	III		but transport must be in unit packages
			of 250 litres / 400kg maximum
			Quantity accepted for carriage restricted to
2627	II		a maximum of 6t per transport unit and
			transport must be in unit packages of
		-	250 litres / 400kg maximum
	III		Quantity accepted for carriage restricted to
2720		a maximum of 10t per transport unit and transport must be in unit packages of	
			250 litres / 400kg maximum
		-	No restriction on the quantity carried
2721	II	O2	but transport must be in unit packages
2,2,		of 250 litres / 400kg maximum	
		†	Quantity accepted for carriage restricted to
.=	***		a maximum of 10t per transport unit and
2722	III		transport must be in unit packages of
			250 litres / 400kg maximum
		7	No restriction on the quantity carried
2723	II		but transport must be in unit packages
			of 250 litres / 400kg maximum
2724			Quantity accepted for carriage restricted to
	III		a maximum of 10t per transport unit and
2725			transport must be in unit packages of
			250 litres / 400kg maximum
			Quantity accepted for carriage restricted to
2726			a maximum of 6t per transport unit and
			transport must be in unit packages of
			250 litres / 400kg maximum

COMM/0059/2 22/54

	ADR – Class 5.1: Oxidizing substances			
UN Number	Packing Group	Classification Code	Restriction	
2728	III	O2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2880	II		<u> </u>	
2880 3139	III			
3210	II			
3210	III	01	No restriction on the quantity carried	
3211	II		but transport must be in unit packages	
3211	III		of 250 litres / 400kg maximum	
3212	II	O2		
3213	11			
3213	III	01		
3214	II			
3215	III	O2	Quantity accepted for carriage restricted to	
3216	111		a maximum of 10t per transport unit and	
3218	II		transport must be in unit packages of	
3218	III		250 litres / 400kg maximum	
3219	II	O1	Quantity accepted for carriage restricted to a maximum of 6t per transport unit and	
3219	III		transport must be in unit packages of 250 litres / 400kg maximum	
3247	II	O2	No restriction on the quantity carried	
3356	11	O3	but transport must be in unit packages	
3377	III		of 250 litres / 400kg maximum	
3378	II	O2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and	
3378	III		transport must be in unit packages of 250 litres / 400kg maximum	
3407	II	O1	No restriction on the quantity carried but transport must be in unit packages	
3407	III	UT	of 250 litres / 400kg maximum	

Substances of Class 5.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight.

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

COMM/0059/2 23/54

ADR - Class 5.2: Organic peroxides

No substances or articles of this Class will be accepted for carriage via Eurotunnel Freight.

COMM/0059/2 24/54

	Α	DR - Class 6.1:	Toxic substances
UN Number	Packing Group	Classification Code	Restriction
1544	П	T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1544	III		No restriction
1547	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1548	III	T2	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
1549 1550 1551	111		No restriction
1564	II	T5	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1564	III		No restriction
1577	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and
1578		T2	transport must be in unit packages of 250 litres / 400kg maximum
1579	III		No restriction
1583	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1583	III		No restriction
1590	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1591	III		No restriction
1593	111		
1594			No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1596	II	T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and
1597			transport must be in unit packages of 250 litres / 400kg maximum
1597	III	T1	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
1598	II	T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and
1599	11		transport must be in unit packages of 250 litres / 400kg maximum
1599	III	T1	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded

COMM/0059/2 25/54

	Α	DR - Class 6.1:	Toxic substances
UN Number	Packing Group	Classification Code	Restriction
1601	II	T2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1601	III		No restriction
1602	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1602	III	T1	No restriction
1611	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1616	III	T5	No restriction
1650			Quantity appented for acreions rectricted to
1651		T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and
1652	II		transport must be in unit packages of
1654		T1	250 litres / 400kg maximum
1655		T2	<u> </u>
1655	III	12	No restriction
1656	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1656	III		No restriction
1657	II	T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and
1658		T1	transport must be in unit packages of 250 litres / 400kg maximum
1658	III		No restriction
1659	II	T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and
1661	11		transport must be in unit packages of
1662		T1	250 litres / 400kg maximum
1663	III	T2	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
1664			Quantity accepted for carriage restricted to a maximum of 10t per transport unit and
1665	II	T1	transport must be in unit packages of 250 litres / 400kg maximum
1669			No restriction on the quantity carried
1671			but transport must be in unit packages of 250 litres / 400kg maximum
1673	III	T2	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
1690		T5	No restriction
1693		T1	No restriction on the quantity carried
1697	II	T2	but transport must be in unit packages
1701		T1	of 250 litres / 400kg maximum

COMM/0059/2 26/54

	Α	DR - Class 6.1:	Toxic substances
UN Number	Packing Group	Classification Code	Restriction
1702	•	T1	No restriction on the quantity carried
1704		T2	but transport must be in unit packages of 250 litres / 400kg maximum
1708	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1709	III	T2	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
1710			No restriction
1711	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1812	III	T5	No restriction
1843		T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1846	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1851		T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1851	TIT		
1884	III	T5	No restriction
1885	II	T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
1886			No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1887	III	[No restriction
1888		T1	
1891	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1897	III		No restriction
2016		T2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2018	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and
2019		T1	transport must be in unit packages of 250 litres / 400kg maximum
2020	III	T2	No restriction
2021		T1	

COMM/0059/2 27/54

LIN		-	Toxic substances
UN Number	Packing Group	Classification Code	Restriction
2038	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2074	III	T2	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2075	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2077	III	T2	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2078	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2205	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2206	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2206	III		No restriction
2224	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2233	TTT	T2	
2235	III		No restriction
2236	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2237 2239	III		No restriction
2250		T2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2253	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2261		T2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2272			Quantity accepted for carriage is restricted to
2273	III		a maximum of 10t per transport unit.
2274	111		Bulk transport excluded
2279		_ T1	No restriction
2281	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum

COMM/0059/2 28/54

	Α	DR - Class 6.1:	Toxic substances
UN Number	Packing Group	Classification Code	Restriction
2290		T1	No restriction
2291		T5	NO TESTICUON
2294	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2299			No restriction
2300			Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2306	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and
2307	II		transport must be in unit packages of 250 litres / 400kg maximum
2311	III	T1	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2321			No restriction
2322	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2328		1	No restriction
2431			Quantity accepted for carriage is restricted to
2432			a maximum of 10t per transport unit.
	III		Bulk transport excluded
2433			No restriction
2446		T2	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2474	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2490		''	No restriction on the quantity carried
2501			but transport must be in unit packages of 250 litres / 400kg maximum
2501		Ţ <u>_</u>	<u> </u>
2504			No restriction
2505		T5	
2512	III	Т2	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
2515		T1	
2516		T2	No restriction
2518		_	
2522	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2525	III	7	No restriction
2533	1111		NO RESUICION

COMM/0059/2 29/54

	ADR - Class 6.1: Toxic substances			
UN Number	Packing Group	Classification Code	Restriction	
2542	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2552			No restriction on the quantity carried	
2567		T2	but transport must be in unit packages	
2570		TE	of 250 litres / 400kg maximum	
2570	III	T5	No restriction	
2572		T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2574	II		No restriction on the quantity carried	
2587	11	T2	but transport must be in unit packages of 250 litres / 400kg maximum	
2588		Т7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2588	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
2609			No restriction	
2643		1 T1 ↑	No restriction on the quantity carried	
2645			but transport must be in unit packages of 250 litres / 400kg maximum	
2647	II	Т2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2648		T1	No restriction on the quantity carried	
2649		T2	but transport must be in unit packages	
2650		T1	of 250 litres / 400kg maximum	
2651	III	T2	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
2653	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2655		T5	No restriction	
2656	III	T1	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
2659			No restriction	
2660		Т2	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
2661			·	
2664		T1	No restriction	
2667				

COMM/0059/2 30/54

	ADR - Class 6.1: Toxic substances			
UN Number	Packing Group	Classification Code	Restriction	
2669	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2669	III		No restriction	
2671	II	T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of	
2673			250 litres / 400kg maximum	
2674		T5		
2688	III		No restriction	
2689				
2690	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2713		T2	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
2716	***		•	
2729	III		No restriction	
2730			Quantity accepted for carriage is restricted to	
2732			a maximum of 10t per transport unit. Bulk transport excluded	
2738	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2747	III	-	No restriction	
2750	II	- T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2753	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
2754			Quantity accepted for carriage restricted to	
2757	II		a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2757	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
2759		Т7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2759	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	

COMM/0059/2 31/54

	ADR - Class 6.1: Toxic substances			
UN Number	Packing Group	Classification Code	Restriction	
2761	П		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2761	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
2763	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2763	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
2771	П		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2771	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
2775	II	T7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2775	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
2777	П		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2777	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
2779	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2779	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
2781	П		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2781	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	

COMM/0059/2 32/54

ADR - Class 6.1: Toxic substances				
UN Number	Packing Group	Classification Code	Restriction	
2783	II	T7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2783	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
2785		T1	No restriction	
2786	II	Т7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2786	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
2788	II	Т3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2788	III	1	No restriction	
2810	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2810	III		No restriction	
2811	II	T2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2811	III	1	No restriction	
2821	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2821	III	1	No restriction	
2822	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2831	III		No restriction	
2839	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2849]		
2853				
2854	III		No restriction	
2855				
2856		T5		
2859	II		No restriction on the quantity carried but transport must be in unit packages	
2861		_	of 250 litres / 400kg maximum	
2862	III		No restriction	

COMM/0059/2 33/54

	ADR - Class 6.1: Toxic substances				
UN Number	Packing Group	Classification Code	Restriction		
2863	II	T5	No restriction on the quantity carried		
2864			but transport must be in unit packages		
2871	III	-	of 250 litres / 400kg maximum No restriction		
2071	111		No restriction on the quantity carried		
2872	II		but transport must be in unit packages of 250 litres / 400kg maximum		
2872		T1	No restriction		
2873	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded		
2874			·		
2875		T2	No restriction		
2876		12			
2902	II	Т6	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum		
2902	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded		
2931		T5	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum		
2936	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum		
2937		1	No restriction		
2941	TTT		Quantity accepted for carriage is restricted to		
2942	III	T1	a maximum of 10t per transport unit.		
2946		_	Bulk transport excluded		
2948			No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum		
2966	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and		
2992			transport must be in unit packages of 250 litres / 400kg maximum		
2992	III	Т6	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded		
2994			Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum		
2994			Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded		

COMM/0059/2 34/54

	ADR - Class 6.1: Toxic substances				
UN Number	Packing Group	Classification Code	Restriction		
2996	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum		
2996	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded		
2998	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum		
2998	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded		
3006	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum		
3006	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded		
3010	II	Т6	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum		
3010	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded		
3012	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum		
3012	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded		
3014	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum		
3014	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded		
3016	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum		
3016	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded		

COMM/0059/2 35/54

ADR - Class 6.1: Toxic substances				
UN Number	Packing Group	Classification Code	Restriction	
3018	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
3018	III	T6	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
3020	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
3020	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
3026	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
3026	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
3027	II	Т7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
3027	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
3140	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
3140 3141	III	T4	No restriction	
3142	II	T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
3142	III		No restriction	
3143	II	T2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
3143	III	<u> </u>	No restriction	
3144	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
3144	III	7	No restriction	
3146	II	Т3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
3146	III		No restriction	

COMM/0059/2 36/54

	Α	DR - Class 6.1:	Toxic substances
UN Number	Packing Group	Classification Code	Restriction
3155		T2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3172	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3172	III		No restriction
3243		Т9	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3249	II	T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3249	III		No restriction
3276	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3276	III	T1	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3278	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3278	III		No restriction
3284	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3284	III	F	No restriction
3285	II	- T5 -	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3285	III		No restriction
3287	II	T4 -	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3287	III	1.7	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3288	II	T5	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3288			Quantity accepted for carriage is restricted to
3293	III	T4	a maximum of 10t per transport unit. Bulk transport excluded
3302	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum

COMM/0059/2 37/54

	Α	DR - Class 6.1:	Toxic substances
UN Number	Packing Group	Classification Code	Restriction
3345	II	Т7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3345	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3348	II	Т6	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3348	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3349	II	Т7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3349	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3352	II	Т6	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3352	III	, .,	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3409	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3410	III		No restriction
3411	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3411	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3415		T4	No restriction
3416		T1	No restriction on the quantity carried
3417	II	T2	but transport must be in unit packages of 250 litres / 400kg maximum
3418	III	T1	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded
3422		T4	No restriction

COMM/0059/2 38/54

ADR - Class 6.1: Toxic substances				
UN Number	Packing Group	Classification Code	Restriction	
3424	II	T1	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
3424			Quantity accepted for carriage is restricted to	
3426	III		a maximum of 10t per transport unit. Bulk transport excluded	
3427			No restriction	
3428	II	T2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
3429	III		No restriction	
3430		T1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
3431	II	T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
3434	III	T1	Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
3436			No restriction on the quantity carried	
3437	II		but transport must be in unit packages of 250 litres / 400kg maximum	
3438	III	1	No restriction	
3439	II		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
3439	III		Quantity accepted for carriage is restricted to a maximum of 10t per transport unit. Bulk transport excluded	
3441		1		
3442		T-0	Quantity accepted for carriage restricted to	
3443		T2	a maximum of 10t per transport unit and	
3444 3445			transport must be in unit packages of	
3445			250 litres / 400kg maximum	
3447	**			
3448	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
3451			Quantity accepted for carriage restricted to	
3452			a maximum of 10t per transport unit and transport must be in unit packages of	
3454			250 litres / 400kg maximum	
3457	III		No restriction	

COMM/0059/2 39/54

ADR - Class 6.1: Toxic substances			
UN Number	Packing Group	Classification Code	Restriction
3458			Quantity accepted for carriage is restricted to
3459	III		a maximum of 10t per transport unit.
3460			Bulk transport excluded
3462	II	T2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
3462	III		No restriction
3464	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
3464	III		No restriction

Substances and articles of Class 6.1 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight.

COMM/0059/2 40/54

	ADR – Class 6.2: Infectious substances				
UN Number	Restriction				
3291	II	I3	No restriction		
3373	n/a	I4	NO restriction		

Substances and articles of Class 6.2 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight, except goods with the Classification code I3 when packed in refrigerated liquid nitrogen.

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

COMM/0059/2 41/54

	ADR – Class 7: Radioactive materials				
UN Number	Packing Group	Classification Code	Restriction		
2908 2909 2910 2911	n/a n/a		No restriction on this type of product.		
2912 2913		n/a	Restricted solely to non combustible solids of new manufactured goods in their original packaging.		
2915			Restricted solely to new manufactured goods in their original packaging.		
3321 3322			Restricted solely to non combustible solids of new manufactured goods in their original packaging.		
3332			Limited to packages of which the total active quantity expressed in A2 is less than 1.		

Substances and articles of Class 7 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight.

The carriage of Radioactive Materials of Class 7 (listed above) is only authorised through Eurotunnel Freight with Eurotunnel's prior agreement.

Class 7 and Class 1 commodities cannot be transported together in the same transport unit.

For more information regarding both the restrictions on the carriage of Radioactive Materials and the procedure for gaining authorisation for transit via Eurotunnel Freight, please refer to section V of this guide (Eurotunnel contact details).

Note – Items not appearing in the above list are not authorised for transit via Eurotunnel Freight

COMM/0059/2 42/54

	ADI	R – Class 8: Co	orrosive substances
UN Number	Packing Group	Classification Code	Restriction
1716	II	СЗ	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1718	III		
1719	II	C5	No restriction
1719	III	00	
1725		C2	
1726			No restriction on the quantity carried
1728	II	C3	but transport must be in unit packages
1729		C4	of 250 litres / 400kg maximum
1730 1731		C1	
1731	III	- 01	No restriction
	111	C2	No restriction on the quantity carried
1733		62	but transport must be in unit packages
1736			of 250 litres / 400kg maximum
1742	II	C3	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and
1743	11		transport must be in unit packages of 250 litres / 400kg maximum
1753			No restriction on the quantity carried
1755			but transport must be in unit packages
	TTT	-	of 250 litres / 400kg maximum
1755	III	-	No restriction
1757	II	C1	No restriction on the quantity carried but transport must be in unit packages
1757	III	-	of 250 litres / 400kg maximum No restriction
1759	II	C10	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1759	III	-	No restriction
1760	II	C9	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1760	III		No restriction
1762			
1763			
1764		C3	
1765	**		No restriction on the quantity carried
1766	II	0.4	but transport must be in unit packages
1768		C1	of 250 litres / 400kg maximum
1769		C3	
1770 1771		C10 C3	
1771	III	C2	No restriction
1774	111	C2 C11	No restriction on the quantity carried
1775	II		but transport must be in unit packages
1776	_	C1	of 250 litres / 400kg maximum

COMM/0059/2 43/54

	AD	R – Class 8: Co	rrosive substances
UN Number	Packing Group	Classification Code	Restriction
1778	•	C1	No production on the property country
1780		00	No restriction on the quantity carried
1781	II	C3	but transport must be in unit packages of 250 litres / 400kg maximum
1782	11	C1	of 250 littles / 400kg maximum
1783		C7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and
1783	III	Or .	transport must be in unit packages of 250 litres / 400kg maximum
1784		C3	No restriction on the quantity carried
1787	II		but transport must be in unit packages
	***	_	of 250 litres / 400kg maximum
1787	III	_	No restriction
1788	II	C1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1788	III	"	No restriction
1789	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1789	III	-	No restriction
1791	II	C9	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1791	III	-	No restriction
1792	II	C1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1793	III		No restriction
1799	111	_	NO TOSTITUTO
1800			No restriction on the quantity carried
1801	II	C3	but transport must be in unit packages
1803			of 250 litres / 400kg maximum
1804			ŭ
1805	III	C1	No restriction
1806			
1807		C2	No restriction on the quantity carried
1808	TT	0.4	but transport must be in unit packages
1810	II	C1	of 250 litres / 400kg maximum
1813		C6	
1814			No restriction
1814	III	C5	
1817	II	C1	No restriction on the quantity carried but transport must be in unit packages
1818	11		of 250 litres / 400kg maximum
1819		C5	
1819	III		
1823	II	C6	No restriction
1824		C5	
1824	III		

COMM/0059/2 44/54

	AD	R – Class 8: Coi	rrosive substances
UN Number	Packing Group	Classification Code	Restriction
1825		C6	No restriction
1827	II	C1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1835		C7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of
1835	III		250 litres / 400kg maximum
1837		C1	No restriction on the quantity carried
1838	II		but transport must be in unit packages
1839		C4	of 250 litres / 400kg maximum
1840	III	C1	
1847	II	C6	No restriction
1848	III	C3	No restriction
1849		C6	
1898	II	C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1902	III	-	No restriction
1902	111		No restriction on the quantity carried
1903	II	C9	but transport must be in unit packages of 250 litres / 400kg maximum
1903	III		No restriction
1907	111	C6	NO TESTICION
1908	II	C9	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1908	III	+	No restriction
1938	II	C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
1938	III		No restriction
1939		C2	No restriction on the quantity carried
1940		C3	but transport must be in unit packages
2028		C11	of 250 litres / 400kg maximum
2033	TT	C6	No restriction
2079	II	C7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2209		C9	- y
2214		C4	
2215	III	C3	No restriction
2215		C4	
2225		C3	
2226	II	C9	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum

COMM/0059/2 45/54

			rrosive substances
UN Number	Packing Group	Classification Code	Restriction
2259	II	C7	Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2262		C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2269		C7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2280	III	C8	Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2289		C7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2305	II	C4	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2320			Quantity accepted for carriage restricted to
2326	***	C7	a maximum of 10t per transport unit and
2327	III		transport must be in unit packages of 250 litres / 400kg maximum
2331		C2	No restriction
2430	II	C4	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum
2430	III		No restriction
2434			No restriction on the quantity carried
2435	II	C3	but transport must be in unit packages
2437	TTT	00	of 250 litres / 400kg maximum
2440	III	C2	No restriction No restriction on the quantity carried
2442	II	C3	but transport must be in unit packages
2443		C1	of 250 litres / 400kg maximum
2475		C2	No restriction
2491	III	C7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2496		C3	No restriction
2503		4	
2506	II	C2	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum
2507	III		No restriction
2508			

COMM/0059/2 46/54

	ADR – Class 8: Corrosive substances			
UN Number	Packing Group	Classification Code	Restriction	
2509	II	C2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2511	III		No restriction	
2513			No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2531	II	C3	No restriction	
2564			No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2564			No restriction	
2565	III	C7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2571			No restriction on the quantity carried	
2577	II	C3	but transport must be in unit packages of 250 litres / 400kg maximum	
2578		C2	No restriction	
2579		C8	Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2580	III		J	
2581		C1		
2582			No restriction	
2585		C4		
2586		C3		
2670	II	C4	Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2672	III			
2677	II	C5		
2677	III			
2678	II	C6		
2679		C5	No restriction	
2679	III			
2680	II	C6		
2681 2681	III	C5		
2682	111	C6		
2691	II	C2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2693	TTT	C1		
2698	III	C4	No restriction	

COMM/0059/2 47/54

	ADR – Class 8: Corrosive substances			
UN Number	Packing Group	Classification Code	Restriction	
2705	II	С9	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2735		C7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and	
2735	III	0.	transport must be in unit packages of 250 litres / 400kg maximum	
2739		-	No restriction	
2751	II	C3	No restriction on the quantity carried	
2790		C3	but transport must be in unit packages of 250 litres / 400kg maximum	
2790	III			
2794	n/a	C11	No restriction	
2795		CF		
2797		C5	No restriction on the quantity carried	
2798 2799	II	С3	but transport must be in unit packages of 250 litres / 400kg maximum	
2800	n/a	C11	No restriction	
2801	II	C9	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2801		1		
2802		C2	No restriction	
2803		C10		
2815		C7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum	
2819	III	C3	<u> </u>	
2820		Co		
2823		C4		
2829		C3	No restriction	
2834		C2		
2837		C1		
2865	II	C2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
2869	***			
2904	III	C9	Married C. C.	
2905	тт	C10	No restriction	
2949	II III	C6 C2		
2967	111	62	No restriction on the quantity carried	
2987	II	C3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum	
3028	n/a	C11	No restriction	

COMM/0059/2 48/54

ADR – Class 8: Corrosive substances					
UN Number	Packing Group	Classification Code	Restriction		
3055	III	С7	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum		
3066	II	C9	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum		
3066	III		No restriction		
3145	II	СЗ	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum		
3145	III		No restriction		
3147	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum		
3147	III	C10	No restriction		
3244	II		No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum		
3253	III	C6	No restriction		
3259	II	- C8 -	Quantity accepted for carriage restricted to a maximum of 6t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum		
3259	III		Quantity accepted for carriage restricted to a maximum of 10t per transport unit and transport must be in unit packages of 250 litres / 400kg maximum		
3260	II	C2	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum		
3260	III		No restriction		
3261	II	C4	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum		
3261	III				
3262	II	C6	No restriction		
3262	III	CO			
3263	II	C8	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum		
3263	III		No restriction		
3264	II	C1	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum		
3264	III		No restriction		
3265	II	С3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum		
3265	III		No restriction		

COMM/0059/2 49/54

ADR – Class 8: Corrosive substances						
UN Number	Packing Group	Classification Code	Restriction			
3266 3266	II III	- C5	No restriction			
3267	II	C7	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum			
3267	III					
3320	II	- C5	No restriction			
3320	III	03				
3412	II	С3	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum			
3412	III		No restriction			
3419		C4	Quantity accepted for carriage restricted to a maximum of 10t per transport unit and			
3420		04	transport must be in unit packages of			
3423	II	C8	250 litres / 400kg maximum			
3425		C4	No restriction on the quantity carried but transport must be in unit packages of 250 litres / 400kg maximum			
3453	III	C2	No restriction			
3472		C3				

Substances and articles of Class 8 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight.

COMM/0059/2 50/54

ADR - Class 9: Miscellaneous dangerous substances and articles					
UN Number	Packing Group	Classification Code	Restriction		
1931	III	M11			
1941					
1990					
2211		M3			
2969	II	M11			
2990	n/a	M5			
3072					
3082	III	M6			
3090	II	M4	No restriction		
3091					
3245	n/a	M8			
3257	III	M9			
3258		M10			
3268		M5			
3314		M3			
3316	II III	- M11			
3316					
3481	II	M4			

Substances and articles of Class 9 subject to two or more danger labels (labels 1 to 9) are not authorised via Eurotunnel Freight, except goods with the Classification Code M8 when packed in refrigerated liquid nitrogen.

COMM/0059/2 51/54

IV - What to do on arrival at the Freight Terminal

All goods regulated under ADR must be declared to Eurotunnel Freight prior to transit.

1 – Before arrival:

At the location at which your vehicle is loaded, check that the driver is issued with all the necessary documentation for registering his goods on arrival at the Eurotunnel Freight Terminal (see item 4 below).

2 – On arrival at Eurotunnel Freight Terminal:

The driver should follow the signs from the motorway exit to the Freight Terminal and then follow the route identified to the Freight Drivers' Information Centre.

NB:

In France – The Freight Drivers' Information Centre is located BEFORE Check-in.

In the UK – Because the Control Point is located AFTER Check-In, the driver must declare at Check-in whether he is carrying ADR regulated goods. He will then be directed to the Freight Driver Centre Control Point before where the procedure described below will be followed.

3 – On arrival at the Freight Drivers' Information Centre (FDIC):

The driver should park his vehicle in one of the spaces adjacent to the FDIC building and should then report to the Customer Service Agent in the FDIC building.

4 – Documentation which will be required:

The driver must give the Customer Service Agent the documents (preferably in either English or French) carrying the information required by ADR and specifically for registration of goods by Eurotunnel Freight:

- UN Number
- * 2009 ADR references (Class, Packing Group and Classification Code if applicable)
- * Name and description of goods carried, including their volume and weight
- * Details of packaging

You are encouraged to make sure that the information required is in the driver's possession. Accurate and complete documentation will avoid delay or rejections from the system.

5 - Checks:

The Customer Service Agent will check that the goods being carried comply with Eurotunnel Freight regulations, as set out in this handbook. He / she will then make an external examination of the vehicle.

Note – This examination has no bearing on possible Police or Customs examinations, which may take place before departure.

COMM/0059/2 52/54

6 - Identification:

Once the documentation and vehicle have been checked, the Customer Service Agent will issue the driver with a label, which displays an internal reference number. The Customer Service Agent will create a file with this number as a reference.

Reference numbers will enable Eurotunnel Freight to follow the vehicle's location in the Eurotunnel freight system and hence, should the need arise, to react swiftly according to the nature of the goods being carried.

The label issued to the driver will identify the vehicle as carrying ADR regulated goods throughout its journey via Eurotunnel Freight. It will be placed on the vehicle's windscreen in a visible position and must not be removed until the vehicle has left the destination terminal at the end of its journey.

7 – Journey through the system:

Once the Customer Service Agent has authorised the transit, the driver can return to his vehicle and follow the normal route through the terminal.

If you wish to order more copies of this guide, please refer to section V.

COMM/0059/2 53/54

V - Eurotunnel contact details

For further information on Eurotunnel Freight's policy for ADR regulated goods, please contact:

Eurotunnel Freight Commercial Department UK Terminal Ashford Road Folkestone Kent CT18 8XX United Kingdom

Tel + 44 (0) 1303 282 244 Fax + 44 (0) 1303 283 500 Email freight@eurotunnel.com

Eurotunnel Service Commercial Fret Siège d'Exploitation B.P. 69 62904 Coquelles Cedex France

Tél + 33 (0) 3 21 00 64 65 Fax + 33 (0) 3 21 00 61 59 Email freight@eurotunnel.com

COMM/0059/2 54/54